



fraserhealth

MEDICAL DAY CARE CLINIC SCIG AND C1 INH HOME INFUSION REFERRAL



MSXX106220A

New: Dec. 10/14

Page: 2 of 2

FAX to JPOCSC Central Intake (604-953-9701)

SCIG Home Infusion Medical history

Primary diagnosis:	
Secondary diagnosis:	
Please indicate the following as appropriate: <input type="checkbox"/> medical history letter(s) <input type="checkbox"/> laboratory examination results <input type="checkbox"/> current informed consent for blood transfusion	
Current IVIG dose: _____g/ _____ weeks	Name of previous SCIG product if any: _____
IgA level: _____ date: _____	Platelet count: _____ date: _____
IgG level: trough _____ date: _____ Peak _____ date: _____	
IgG subclasses (if available): _____	
Allergy:	
Medications:	
Additional comments:	
Priority level (select applicable)	
<input type="checkbox"/> 1. no venous access, adverse reactions	
<input type="checkbox"/> 2. inability to maintain stable IgG levels, difficulty traveling for infusions	
<input type="checkbox"/> 3. social: work, family, school, travel (vacation)	
<input type="checkbox"/> 4. elective	

C1 INH (Inhibitor) home infusion

Medical history

Primary diagnosis:	
Secondary diagnosis:	
Please indicate the following as appropriate: <input type="checkbox"/> medical history letter(s) <input type="checkbox"/> laboratory examination results <input type="checkbox"/> current informed consent for blood transfusion	
Have previously used C1 inhibitor product: <input type="checkbox"/> Yes <input type="checkbox"/> No If yes: Name of product: Length of time on product: Adverse reactions:	
Current C1 inhibitor dose: _____u/kg Frequency: _____ or <input type="checkbox"/> as required	
C1 INH quantitative level: _____ date: _____ Normal value for laboratory: _____	
C1 INH functional level: _____ (if quantitative level not available) Normal value for laboratory: _____ date: _____	
C4 _____ date: _____	Platelet count _____ date: _____
Allergy:	
Medication:	
Additional comments:	
Priority level (select applicable)	
<input type="checkbox"/> 1. frequent/severe attacks/delay in therapy	<input type="checkbox"/> 4. adverse reaction or contraindication to other therapy
<input type="checkbox"/> 2. difficulty traveling to hospital to obtain infusion	<input type="checkbox"/> 5. social: work, family, school, travel (vacation)
<input type="checkbox"/> 3. pregnant/breast feeding	<input type="checkbox"/> 6. elective /desire greater convenience

This facsimile is directed in confidence and is intended for use by the individual or entity to which it is specifically addressed. Any other distribution, copy, or disclosure is strictly prohibited. The contents of this facsimile may also be subject to privilege and all rights to that privilege are expressly claimed and not waived. If you have received this facsimile in error, please notify us immediately by telephone. Thank you for your co-operation.