

References

Antimicrobial Dosing

1. Lexicomp Online®, AHFS® Drug Information
2. Sanford Guide to Antimicrobial Therapy
3. Li PK et al. ISPD peritonitis recommendations: 2016 update on prevention and treatment. *Peritoneal dialysis international* 2016;36:481.
4. Baddour et al. Infective Endocarditis in Adults: Diagnosis, Antimicrobial Therapy, and Management of Complications. *Circulation*. 2015; 132: 1435-1486.
5. Bugs and Drugs®, Alberta Health Services; July 26, 2017.
6. Clinical Pharmacokinetic Service and Anticoagulation Guidelines. Pharmacy Services UK Healthcare University of Kentucky. January 2017.
7. Nicolau et al. Experience with a once-daily aminoglycoside program administered to 2,184 adult patients. *Antimicrob Agents Chemother*. 1995; 39(3): 650-655.
8. Tsuji BT et al. International Consensus Guidelines for the Optimal Use of the Polymyxins: Endorsed by the American College of Clinical Pharmacy (ACCP), European Society of Clinical Microbiology and Infectious Diseases (ESCMID), Infectious Diseases Society of America (IDSA), International Society for Antiinfective Pharmacology (ISAP), Society of Critical Care Medicine (SCCM), and Society of Infectious Diseases Pharmacists (SIDP). *Pharmacotherapy* 2019;39:10-39.
9. Koomanachai P et al. Pharmacokinetics of colistin methanesulfonate and formed colistin in end-stage renal disease patients receiving continuous ambulatory peritoneal dialysis.

Beta-Lactam Allergies

1. The NB Provincial Health Authorities Anti-infective Stewardship Committee. June 2016. Antimicrobial Treatment Guidelines for Common Infections. 2017. <http://en.horizonnb.ca/home/careers-and-education/learning/antimicrobial-use.aspx>
2. Robinson JL et al. Practical Aspects of Choosing an Antibiotic for Patients with a Reported Allergy to an Antibiotic. *Clinical Infectious Diseases*. 2002; 35:26–31
3. Philippe Lagacé-Wiens and Ethan Rubinstein. Adverse reactions to β -lactam antimicrobials. *Expert Opinion on Drug Safety*. 2012; 11(3): 381-399
4. Krishna MT et al. Enhancing antibiotic stewardship by tackling “spurious” penicillin allergy. *Clin Exp Allergy*. 2017; 47:1362–1373.
5. Gadde J, Spence M, Wheeler B, Adkinson NF, Jr. 1993. Clinical experience with penicillin skin testing in a large inner-city STD clinic. *JAMA* 270:2456-2463.
6. Joint Task Force on Practice P, American Academy of Allergy A, Immunology, American College of Allergy A, Immunology, Joint Council of Allergy A, Immunology. 2010. Drug allergy: an updated practice parameter. *Ann Allergy Asthma Immunol* 105:259-273.
7. Sogn DD, Evans R, 3rd, Shepherd GM, Casale TB, Condemi J, Greenberger PA, Kohler PF, Saxon A, Summers RJ, VanArsdel PP, Jr., et al. 1992. Results of the National Institute of Allergy and Infectious Diseases Collaborative Clinical Trial to test the predictive value of skin testing with major and minor penicillin derivatives in hospitalized adults. *Arch Intern Med* 152:1025-1032.
8. Albin S, Agarwal S. 2014. Prevalence and characteristics of reported penicillin allergy in an urban outpatient adult population. *Allergy Asthma Proc* 35:489-494.
9. Legendre DP, Muzny CA, Marshall GD, Swiatlo E. 2014. Antibiotic hypersensitivity reactions and approaches to desensitization. *Clin Infect Dis* 58:1140-1148.
10. Coombs P GP. Classification of allergic reactions responsible for clinical hypersensitivity and disease. *Clinical aspects of immunology*, 1968 Oxford, UK Oxford University Press (pg 575-96).
11. Campagna JD, Bond MC, Schabelman E, Hayes BD. 2012. The use of cephalosporins in penicillin-allergic patients: a literature review. *J Emerg Med* 42:612-620.
12. Baldo BA. 1999. Penicillins and cephalosporins as allergens--structural aspects of recognition and cross-reactions. *Clin Exp Allergy* 29:744-749.

13. Green GR, Rosenblum AH, Sweet LC. 1977. Evaluation of penicillin hypersensitivity: value of clinical history and skin testing with penicilloyl-polylysine and penicillin G. A cooperative prospective study of the penicillin study group of the American Academy of Allergy. *J Allergy Clin Immunol* 60:339-345.
14. Salkind AR, Cuddy PG, Foxworth JW. 2001. The rational clinical examination. Is this patient allergic to penicillin? An evidence-based analysis of the likelihood of penicillin allergy. *JAMA* 285:2498-2505.

Respiratory Tract Infections

1. Athanassa Z et al. Early switch to oral treatment in patients with moderate to severe community-acquired pneumonia. *Drugs*. 2008;68:2469-81.
2. Butler CC et al. C-reactive protein testing to guide antibiotic prescribing for COPD exacerbations. *N Engl J Med* 2019;381:111
3. Daneman N et al. Duration of hospital admission and the need for empiric antipseudomonal therapy. *J Clin Micro* 2012;50:2695-2701.
4. Davies HE et al. Management of pleural infection in adults: British Thoracic Society pleural disease guideline 2010. *Thorax* 2010;65:ii41-53.
5. de Velde F, de Winter BC, Koch BC, van Gelder T, Mouton JW; COMBACTE-NET consortium. Non-linear absorption pharmacokinetics of amoxicillin: consequences for dosing regimens and clinical breakpoints. *J Antimicrob Chemother*. 2016;71(10):2909-2917. doi:10.1093/jac/dkw226
6. Dimopoulos G et al. Short- versus long-course antibacterial therapy for community-acquired pneumonia – a meta-analysis. *Drugs*. 2008;68:1841-54.
7. Dinh A, Ropers J, Duran C, et al. Discontinuing β -lactam treatment after 3 days for patients with community-acquired pneumonia in non-critical care wards (PTC): a double-blind, randomised, placebo-controlled, non-inferiority trial [published correction appears in *Lancet*. 2021 Jun 5;397(10290):2150]. *Lancet*. 2021;397(10280):1195-1203. doi:10.1016/S0140-6736(21)00313-5
8. Feller-Kopman D and Light R. Pleural Disease. *N Engl J Med* 2018;378:740-751.
9. Global Initiative for Chronic Obstructive Lung Disease. Global strategy for the diagnosis, management, and prevention of chronic obstructive pulmonary disease. 2020 report. www.goldcopd.org
10. Haeseker M, Havenith T, Stolk L, Neef C, Bruggeman C, Verbon A. Is the standard dose of amoxicillin-clavulanic acid sufficient?. *BMC Pharmacol Toxicol*. 2014;15:38. Published 2014 Jul 21. doi:10.1186/2050-6511-15-38
11. January 2015 annotated British Thoracic Society guideline for the management of community acquired pneumonia in adults (2009) summary of recommendations. <https://www.brit-thoracic.org.uk/guidelines-and-quality-standards/community-acquired-pneumonia-in-adults-guideline/annotated-bts-guideline-for-the-management-of-cap-in-adults-2015/>
12. Kalil AC et al. Management of adults with hospital-acquired and ventilator-associated pneumonia: 2016 clinical practice guidelines by the Infectious Diseases Society of America and the American Thoracic Society. *Clin Infect Dis*. 2016;63:e61-e111.
13. Kiffer CR, Pignatari AC. Pharmacodynamic evaluation of commonly prescribed oral antibiotics against respiratory bacterial pathogens. *BMC Infect Dis*. 2011;11:286. Published 2011 Oct 25. doi:10.1186/1471-2334-11-286
14. Lim WS et al. British Thoracic Society guidelines for the management of community acquired pneumonia in adults: update 2009. *Thorax*. 2009;64:iii1-55
15. Metlay JP, Waterer GW, Long AC, et al. Diagnosis and Treatment of Adults with Community-acquired Pneumonia. An Official Clinical Practice Guideline of the American Thoracic Society and Infectious Diseases Society of America. *Am J Respir Crit Care Med*. 2019;200(7):e45-e67. doi:10.1164/rccm.201908-1581ST
16. National Institute for Health and Care Excellence (NICE). Chronic obstructive pulmonary disease (acute exacerbation): antimicrobial prescribing – NICE guideline 114. 2018.
17. National Institute for Health and Care Excellence (NICE). Pneumonia in adults: diagnosis and management – clinical guideline 191. 2014.
18. O'Donnell DE et al. Canadian Thoracic Society recommendations for management of chronic obstructive pulmonary disease – 2007 update. *Can Respir J*. 2007;14(Suppl B):5B-32B.
19. Prins HJ et al. CRP-guided antibiotic treatment in acute exacerbations of COPD in hospital admissions. *Eur Respir J* 2019;53:1802014.

20. Schuetz P et al. Effect of procalcitonin-based guidelines vs standard guidelines on antibiotic use in lower respiratory tract infections – the ProHOSP randomized controlled trial. *JAMA*. 2009;302:1059-66.
21. Schuetz P et al. Procalcitonin to initiate or discontinue antibiotics in acute respiratory tract infections. *Cochrane Database Syst Rev*. 2012;9:CD007498.
22. Shorr AF et al. Viruses are prevalent in non-ventilated hospital-acquired pneumonia. *Respiratory Medicine*. 2017;122:76.
23. Sinai Health System-University Health Network Antimicrobial Stewardship Best Practices. Pneumonia: Community-Acquired Frequently Asked Questions.
24. Uranga A, España PP, Bilbao A, et al. Duration of Antibiotic Treatment in Community-Acquired Pneumonia: A Multicenter Randomized Clinical Trial. *JAMA Intern Med*. 2016;176(9):1257-1265. doi:10.1001/jamainternmed.2016.3633
25. Woodhead M et al. Guidelines for the management of adult lower respiratory tract infections – full version. *Clin Microbiol Infect*. 2011; 17:e1-59. (Guidelines of the European Respiratory Society and The European Society for Clinical Microbiology and Infectious Diseases)

Urinary Tract Infections

1. Blondel-Hill EM & Fryters S. Bugs and Drugs for iOS. Alberta Health Services. 2016.
2. Blondel-Hill EM et al. AMMI Canada position statement on asymptomatic bacteriuria. *JAMMI*. 2018;3(1):4-7. doi:10.3138/jammi.3.1.02
3. Drekonja DM et al. Urinary tract infection in male veterans. *JAMA Intern Med*. 2013;173:62-68.
4. Drekonja DM, Trautner B, Amundson C, Kuskowski M, Johnson JR. Effect of 7 vs 14 Days of Antibiotic Therapy on Resolution of Symptoms Among Afebrile Men With Urinary Tract Infection: A Randomized Clinical Trial. *JAMA*. 2021;326(4):324-331. doi:10.1001/jama.2021.9899
5. Eliakim-Raz N et al. Duration of antibiotic treatment for acute pyelonephritis and septic urinary tract infection – 7 days or less versus longer treatment: systematic review and meta-analysis of randomized controlled trials. *JAC*. 2013;68:2183-2191.
6. Fox MT, Melia MT, Same RG, Conley AT, Tamma PD. A Seven-Day Course of TMP-SMX May Be as Effective as a Seven-Day Course of Ciprofloxacin for the Treatment of Pyelonephritis. *Am J Med*. 2017;130(7):842-845. doi:10.1016/j.amjmed.2017.01.025
7. Gupta K et al. IDSA and ESCMID guidelines for treatment of IDSA of acute uncomplicated cystitis and pyelonephritis in women. *CID*. 2011;52:e103-20.
8. Hooton TM et al. IDSA guidelines on diagnosis, prevention, and treatment of catheter-associated urinary tract infection adults. *CID*. 2010;50:625-63.
9. Hooton TM & Gupta K. Acute simple cystitis in women. UpToDate Oct 17, 2018.
10. Hooton TM. Acute simple cystitis in men. UpToDate Jul 27, 2018.
11. Hooton TM & Gupta K. Acute complicated urinary tract infection (including pyelonephritis) in adults. UpToDate Apr 20, 2018.
12. Lutters M & Vogt-Ferrier N. Antibiotic duration for treating uncomplicated, symptomatic lower urinary tract infections in elderly women. *Cochrane Database of Systematic Reviews* 2008. CD001535.
13. Molina J, Montero-Mateos E, Praena-Segovia J, et al. Seven-versus 14-day course of antibiotics for the treatment of bloodstream infections by Enterobacterales: a randomized, controlled trial [published online ahead of print, 2021 Sep 9]. *Clin Microbiol Infect*. 2021;S1198-743X(21)00491-2. doi:10.1016/j.cmi.2021.09.001
14. Monmaturapoj T et al. A prospective, randomized, double dummy, placebo-controlled trial of cefditoren pivoxil 400 mg once daily as switch therapy after intravenous ceftriaxone in the treatment of acute pyelonephritis. *Int J Infect Dis*. 2012;16:e843-9.
15. Nicolle LE et al. IDSA guidelines for the diagnosis and treatment of asymptomatic bacteriuria in adults. *CID*. 2005;40:643-54.
16. Pohl A et al. Modes of administration of antibiotics for symptomatic severe urinary tract infections. *Cochrane Database of Systematic Reviews* 2007. CD003237
17. Saad S, Mina N, Lee C, Afra K. Oral beta-lactam step down in bacteremic *E. coli* urinary tract infections. *BMC Infect Dis*. 2020;20(1):785. Published 2020 Oct 21. doi:10.1186/s12879-020-05498-2

18. Sanchez M et al. Short-term effectiveness of ceftriaxone single dose in the initial treatment of acute uncomplicated pyelonephritis in women. A randomized controlled trial. *Emerg Med J* 2002;19:19-22.
19. Sandberg T et al. Ciprofloxacin for 7 days versus 14 days in women with acute pyelonephritis: a randomised, open-label and double-blind, placebo-controlled, non-inferiority trial. *Lancet*. 2012;380:484-90.
20. Sutton JD, Stevens VW, Chang NN, Khader K, Timbrook TT, Spivak ES. Oral β -Lactam Antibiotics vs Fluoroquinolones or Trimethoprim-Sulfamethoxazole for Definitive Treatment of Enterobacteriales Bacteremia From a Urine Source. *JAMA Netw Open*. 2020;3(10):e2020166. Published 2020 Oct 1. doi:10.1001/jamanetworkopen.2020.20166
21. Talan DA et al. Comparison of ciprofloxacin (7 days) and trimethoprim-sulfamethoxazole (14 days) for acute uncomplicated pyelonephritis in women—a randomized trial. *JAMA*. 2000;283:1583-90.
22. van Nieuwkoop C et al. Treatment duration of febrile urinary tract infection: a pragmatic randomized, double-blind, placebo-controlled non-inferiority trial in men and women. *BMC Medicine*. 2017;15:70.
23. von Dach E, Albrich WC, Brunel AS, et al. Effect of C-Reactive Protein-Guided Antibiotic Treatment Duration, 7-Day Treatment, or 14-Day Treatment on 30-Day Clinical Failure Rate in Patients With Uncomplicated Gram-Negative Bacteremia: A Randomized Clinical Trial. *JAMA*. 2020;323(21):2160-2169. doi:10.1001/jama.2020.6348
24. WHO. Antimicrobial resistance: global report on surveillance. 2014.
25. Yahav D, Franceschini E, Koppel F, et al. Seven Versus 14 Days of Antibiotic Therapy for Uncomplicated Gram-negative Bacteremia: A Noninferiority Randomized Controlled Trial. *Clin Infect Dis*. 2019;69(7):1091-1098. doi:10.1093/cid/ciy1054
26. Zalmanovici Trestioreanu A et al. Antibiotics for asymptomatic bacteriuria. *Cochrane Database of Systematic Reviews* 2015. CD009534.

Sepsis

1. Singer M. et al. The Third International Consensus Definitions for Sepsis and Septic Shock (Sepsis-3). *JAMA* 2016;315:801-810.
2. Surviving Sepsis Campaign. Surviving Sepsis Campaign Response to Sepsis-3. March 2016. <http://www.survivingsepsis.org/>
3. BC Sepsis Network. BC Sepsis Network special communication on the third international consensus definitions for sepsis and septic shock (Sepsis-3). April 2016. <https://bcpsqc.ca/documents/2012/09/SepsisLetter.pdf>

Skin and Soft Tissue Infections

1. Stevens DL et al. Practice guidelines for the diagnosis and management of skin and soft tissue infections: 2014 update by the IDSA. *CID*. 2014.
2. Talan DA et al. Trimethoprim-sulfamethoxazole versus placebo for uncomplicated skin abscess. *NEJM*. 2016;374:823.
3. Daum RS et al. A placebo-controlled trial of antibiotics for smaller skin abscesses. *NEJM*. 2017;376:2545.

Diabetic Foot Infections

1. Hinchliffe RJ et al. IWGDF guidance on the diagnosis, prognosis, and management of peripheral artery disease in patients with foot ulcers in diabetes. *Diabetes Metab Res Rev*. 2016;32(Suppl. 1):37-44
2. Lipsky BA et al. IDSA guideline for diagnosis and treatment of diabetic foot infections. *CID*. 2012;54:132-173.
3. Lipsky BA et al. IWGDF guidance on the diagnosis and management of foot infections in persons with diabetes. *Diabetes Metab Res Rev*. 2016;32(Suppl. 1):45-74.
4. Selva Olid A et al. Systemic antibiotics for treating diabetic foot infections. *Cochrane Database of Systematic Reviews*. 2015;9:CD009061.

Clostridium Difficile Infection

1. McDonald LC et al. Clinical practice guidelines for *Clostridium difficile* infection in adults and children: 2017 update by the Infectious Diseases Society of America (IDSA) and Society for Healthcare Epidemiology (SHEA). *CID*. 2018;66:987-994.

Intra-Abdominal Infections

1. Solomkin JS et al. Diagnosis and management of complicated intra-abdominal infections in adults and children: guidelines by the Surgical Infection Society and the Infectious Diseases Society of America. 2010; CID. 2010;50:133-164.
2. Sawyer RG et al. Trial of short-course antimicrobial therapy for intraabdominal infection. NEJM. 2015;372:1996-2005.
3. Kiriya S et al. TG18: Diagnostic criteria and severity grading of acute cholangitis (with videos). J Hepatobiliary Pancreat Sci. 2018;25:17-30.
4. Gomi H et al. TG18: Antimicrobial therapy for acute cholangitis and cholecystitis. J Hepatobiliary Pancreat Sci. 2018;25:3-16.
5. Mukai S et al. TG18: Indications and techniques of biliary drainage for acute cholangitis in updated Tokyo Guidelines 2018. J Hepatobiliary Pancreat Sci. 2017;24:537-549.
6. Montravers P et al. Short-course antibiotic therapy for critically ill patients treated for postoperative intra-abdominal infection: the DURAPOP randomized clinical trial. Intensive Care Med. 2018;44:300-310.
7. Mazuski JE et al. The Surgical Infection Society revised guidelines on the management of intra-abdominal infection. Surgical Infections. 2017;18:1-76.
8. Sartelli M et al. The management of intra-abdominal infections from a global perspective: 2017 WSES guidelines for the management of intra-abdominal infections. World J Emerg Surg 2017;12:29.
9. Pisano M et al. 2020 World Society of Emergency Surgery updated guidelines for the diagnosis and treatment of acute calculous cholecystitis. World J Emerg Surg 2020;15:61.
10. Yahav D et al. Seven versus 14 days of antibiotic therapy for uncomplicated gram-negative bacteremia: a noninferiority randomized controlled trial. CID. 2019;69:1091.
11. Yokoe M et al. TG18: Diagnostic criteria and severity grading of acute cholecystitis (with videos). J Hepatobiliary Pancreat Sci. 2018;25:41-54.
12. Von Dach E et al. Effect of C-reactive protein-guided antibiotic treatment duration, 7-day treatment, or 14-day treatment on 30-day clinical failure rate in patients with uncomplicated gram-negative bacteremia: a randomized clinical trial. JAMA. 2020;323:2160
13. Stollman N et al. American Gastroenterological Association institute guideline on the management of acute diverticulitis. Gastroenterology. 2015;149:1944.
14. Hall J et al. The American Society of Colon and Rectal Surgeons clinical practice guidelines for the treatment of left-sided colonic diverticulitis. Dis Colon Rectum. 2020;63:728.

Central Nervous System Infections

1. Van de Beek D et al. ESCMID guideline: diagnosis and treatment of acute bacterial meningitis. Clin Microbiol Infect. 2016;22:S37-S62.
2. Tunkel AR et al. Practice guidelines for management of bacterial meningitis. CID. 2004;39:1267-1284.
3. Tunkel AR et al. 2017 Infectious Diseases Society of America's clinical practice guidelines for healthcare-associated ventriculitis and meningitis. 2017. DOI: 10.1093/cid/ciw861

Sepsis in CPO Colonized Patients

1. Gutierrez-Gutierrez B et al. Effect of appropriate combination therapy on mortality of patients with bloodstream infections due to carbapenemase-producing Enterobacteriaceae (INCREMENT): a retrospective cohort study. Lancet Infect Dis 2017;17:726.
2. Paul M et al. Combination therapy for carbapenem-resistant Gram-negative bacteria. J Antimicrob Chemother 2014;69:2305.
3. Paul M et al. Colistin alone versus colistin plus meropenem for treatment of severe infections caused by carbapenem-resistant Gram-negative bacteria: an open-label, randomized controlled trial. Lancet Infect Dis 2018;18:391.
4. Rodriguez-Bano J et al. Treatment of infections caused by extended-spectrum-beta-lactamase-, AmpC-, and carbapenemase-producing Enterobacteriaceae. Clin Microbiol Rev 2018;31:e00079.

5. Tumbarello M et al. Infections caused by KPC-producing *Klebsiella pneumoniae*: differences in therapy and mortality in a multicenter study. *J Antimicrob Chemother* 2015;70:2133.
6. Zak-Doron Y et al. The association between empiric antibiotic treatment and mortality in severe infections caused by carbapenem-resistant gram-negative bacteria: a prospective study. *Clin Infect Dis* 2018;67:1815.

Bacteremia – Enterococcus

1. Bennet JE et al. Mandell, Douglas, and Bennett's Principles and Practice of Infectious Diseases, 9th edition. 2020.
2. Garcia-Solache M et al. The Enterococcus: a model of adaptability to its environment. *Clin Microbiol Rev* 2019;32:e00058. <https://doi.org/10.1128/cmr.00058-18>
3. Monticelli J et al. Clinical management of non-faecium and non-faecalis vancomycin-resistant enterococci infections. Focus on *Enterococcus gallinarum* and *Enterococcus casseliflavus/flavescens*. *J Infect Chemother*. 2018;24:237. <https://doi.org/10.1016/j.jiac.2018.01.001>
4. Mercurio NJ et al. Combatting resistant enterococcal infections: a pharmacotherapy review. *Expert Opin Pharmacother*. 2018;19:979. <https://doi.org/10.1080/14656566.2018.1479397>
5. Habib G et al. 2015 ESC Guidelines for the management of infective endocarditis: The Task Force for the Management of Infective Endocarditis of the European Society of Cardiology (ESC). Endorsed by: European Association for Cardio-Thoracic Surgery (EACTS), the European Association of Nuclear Medicine (EANM). *Eur Heart J*. 2015;36:3075. <https://doi.org/10.1093/eurheartj/ehv319>
6. Baddour LM et al. Infective Endocarditis in Adults: Diagnosis, Antimicrobial Therapy, and Management of Complications: A Scientific Statement for Healthcare Professionals From the American Heart Association. *Circulation*. 2015;132:1435. <https://doi.org/10.1161/cir.000000000000296>

Bacteremia – Staphylococcus aureus

1. Holland TL et al. Clinical management of *Staphylococcus aureus* bacteremia: a review. *JAMA*. 2014;312:1330. <https://doi.org/10.1001/jama.2014.9743>
2. Sekar P et al. Comparative Sensitivity of Transthoracic and Transesophageal Echocardiography in Diagnosis of Infective Endocarditis Among Veterans With *Staphylococcus aureus* Bacteremia. *Open Forum Infect Dis*. 2017;4:ofx035. <https://doi.org/10.1093/ofid/ofx035>
3. Abbas M et al. Association between treatment duration and mortality or relapse in adult patients with *Staphylococcus aureus* bacteraemia: a retrospective cohort study. *Clin Microbiol Infect*. 2020;26:626. <https://doi.org/10.1016/j.cmi.2019.07.019>
4. Bai AD et al. Diagnostic accuracy of transthoracic echocardiography for infective endocarditis findings using transesophageal echocardiography as the reference standard: a meta-analysis. *J Am Soc Echocardiogr*. 2017;30:639. <https://doi.org/10.1016/j.echo.2017.03.007>
5. Bai AD et al. Impact of Infectious Disease consultation on quality of care, mortality, and length of stay in *Staphylococcus aureus* bacteremia: results from a large multicenter cohort study. *Clin Infect Dis*. 2015;60:1451. <https://doi.org/10.1093/cid/civ120>
6. Yousaf A et al. Association of Infectious Disease consultation with clinical outcomes in patients with *Staphylococcus aureus* bacteremia at low risk for endocarditis. *Open Forum Infect Dis*. 2018;5:ofy142. <https://doi.org/10.1093/ofid/ofy142>
7. Carr DR et al. A comparison of cefazolin versus ceftriaxone for treatment of methicillin-susceptible *Staphylococcus aureus* bacteremia in a tertiary care VA medical center. *Open Forum Infect Dis*. 2018;5:ofy089. <https://doi.org/10.1093/ofid/ofy089>
8. Kim S-H et al. Outcome of vancomycin treatment in patients with methicillin-susceptible *Staphylococcus aureus* bacteremia. *Antimicrob Agents Chemother*. 2008;52:192. <https://doi.org/10.1128/aac.00700-07>
9. Fowler VG et al. Clinical identifiers of complicated *Staphylococcus aureus* bacteremia. *Arch Intern Med*. 2003;163:2066. <https://doi.org/10.1001/archinte.163.17.2066>
10. Bai AD et al. Management of *Staphylococcus aureus* bacteremia in adults. *CMAJ*. 2019;191:E967. <https://doi.org/10.1503/cmaj.190363>

11. Holland TL et al. Effect of Algorithm-Based Therapy vs Usual Care on Clinical Success and Serious Adverse Events in Patients with Staphylococcal Bacteremia: A Randomized Clinical Trial. JAMA. 2018;320:1249.
<https://doi.org/10.1001/jama.2018.13155>